



INDUSTRIAL VALVES

BALL VALVES	
TYPE	FLOATING AND TRUNNION MONOBLOC - WAFER – SPLIT BODY - 2 PIECES 3 PIECES – SIDE AND TOP ENTRY
CONSTRUCTION	B 16.34 – API 6A - API 6D – BS 5351
SIZE	FROM 1/2" TO 60" REDUCED AND FULL BORE
CLASS	ANSI 150 - 300 - 600 – 800 - 900 – 1500 – 2500 – 4500 PSI 3000 – 6000 - 10000
END CONNECTIONS	THREADED – BW – SW FLANGED ACCORDING TO ANSI - API – DIN - BS
SPECIAL FEATURES	NACE MR 01.75 – FIRE SAFE METAL TO METAL SEAT – UNDERGROUND SERVICE GEAR – ELECTRIC AND PNEUMATIC ACTUATOR EXTENDED BONNET - CRYOGENIC SERVICE HEATING JACKET – PREVELDED NIPPLES
STANDARD MATERIALS	C.S. A105 – A 350 LF2 - A216 WCB S. S. A182 F304 – A182 F316 – A351 CF8 – A351 CF8M
SPECIAL MATERIALS	HASTELLOY – INCONEL – INCOLOY – MONEL TITANIUM – DUPLEX – SUPER DUPLEX BRASS - BRONZE



INDUSTRIAL VALVES

FORGED GATE, GLOBE, CHECK AND NEEDLE VALVES	
TYPE	BOLTED AND WELDED BONNET RENEWABLE AND INTEGRAL SEAT
CONSTRUCTION	B 16.34 – API 6A - API 6D – API 602 - BS 5352
SIZE	FROM ¼" TO 2" REDUCED AND FULL BORE
CLASS	ANSI 150 - 300 - 600 – 800 - 900 – 1500 – 2500 – 4500 PSI 3000 – 6000 - 10000
END CONNECTIONS	THREADED – BW – SW FLANGED ACCORDING TO ANSI - API – DIN - BS
SPECIAL FEATURES	NACE MR 01.75 Y PATTERN – THROUGH CONDUIT PRESSURE SEAL BONNET – BELLOW SEAL GEAR – ELECTRIC AND PNEUMATIC ACTUATOR EXTENDED BODY - EXTENDED BONNET ANGLE GLOBE VALVE - CRYOGENIC SERVICE
STANDARD MATERIALS	C.S. A105 – A 350 LF2 S. S. A182 F304 – A182 F316
SPECIAL MATERIALS	C.S. A 182 F5 – F 9 – F 11 – F 22 S.S. A 182 F 321 – A 182 F 347 HASTELLOY – INCONEL – INCOLOY – MONEL ALLOY 20 - TITANIUM – DUPLEX – SUPER DUPLEX



UNIVERSAL s.r.l.

SAFETY VALVES INDUSTRIAL VALVES AND PIPING PACKAGES

29010 TREVOZZO DI NIBBIANO V.T.(PC) ITALY- LOC. MOLINO FRANZINI TEL.0523997677 – TELEFAX 0523997354

E-mail technical@universalvalves.it Web site www.universalvalves.it

INDUSTRIAL VALVES

CASTED GATE, GLOBE AND CHECK VALVES	
TYPE	BOLTED BONNET RENEWABLE AND INTEGRAL SEAT
CONSTRUCTION	B 16.34 – API 600 - BS 1414 – BS 1873 – BS 1868
SIZE	GATE FROM 2" TO 48" GLOBE FROM 2" TO 16" CHECK FROM 2" TO 36"
CLASS	ANSI 150 - 300 - 600 – 900 – 1500 – 2500
END CONNECTIONS	BW AND FLANGED ACCORDING TO ANSI - API – DIN - BS
SPECIAL FEATURES	NACE MR 01.75 Y PATTERN – THROUGH CONDUIT PRESSURE SEAL BONNET – BELLOW SEAL GEAR – ELECTRIC AND PNEUMATIC ACTUATOR CHAIN WHEEL OP. - EXTENDED BONNET ANGLE GLOBE VALVE - CRYOGENIC SERVICE
STANDARD MATERIALS	C.S. A 216 WCB – A 352 LCB S. S. A 351 CF8 – A 351 CF8M
SPECIAL MATERIALS	C.S. A 217 WC6 – WC9 – C 5 – C 12 S.S. A 351 CF8C HASTELLOY – INCONEL – INCOLOY – MONEL ALLOY 20 - TITANIUM – DUPLEX – SUPER DUPLEX



UNIVERSAL s.r.l.

SAFETY VALVES INDUSTRIAL VALVES AND PIPING PACKAGES

29010 TREVOZZO DI NIBBIANO V.T.(PC) ITALY- LOC. MOLINO FRANZINI TEL.0523997677 – TELEFAX 0523997354

E-mail technical@universalvalves.it Web site www.universalvalves.it

INDUSTRIAL VALVES

PLUG VALVES	
TYPE	LUBRICATED STANDARD AND PRESSURE BALANCED NON LUBRICATED WITH SLEEVE 2/5 WAYS
CONSTRUCTION	B 16.34 – API 6A - API 6D – API 599 - BS 5353
SIZE	1/2" TO 24"
CLASS	ANSI 150 - 300 - 600 – 800 - 900 – 1500 – 2500 PSI 2000 - 3000 – 6000 - 10000
END CONNECTIONS	THREADED – BW – SW FLANGED ACCORDING TO API – ANSI – DIN -BS
SPECIAL FEATURES	NACE MR 01.75 SHORT, REGULAR AND VENTURI PATTERN OPERATING EXTENSION - BEVEL GEAR ELETRIC AND PNEUMATIC ACTUATOR HEATING JACKET - CRYOGENIC SERVICE
STANDARD MATERIALS	C.S. A105 - A216 WCB – A352 LCB S. S. A182 F304 – A182 F316 – A351 CF8 – A351 CF8M
SPECIAL MATERIALS	HASTELLOY – INCONEL – MONEL – TITANIUM – DUPLEX ALLOY 20 - NIKEL



UNIVERSAL s.r.l.

SAFETY VALVES INDUSTRIAL VALVES AND PIPING PACKAGES

29010 TREVOSZO DI NIBBIANO V.T.(PC) ITALY- LOC. MOLINO FRANZINI TEL.0523997677 – TELEFAX 0523997354

E-mail technical@universalvalves.it Web site www.universalvalves.it

INDUSTRIAL VALVES

BUTTERFLY VALVES	
TYPE	LUG – WAFER - FLANGED
CONSTRUCTION	ISO 5752 – EN 558 (DIN 3202 T3 K1) API 609 - MSS SP-67 – BS 5155
SIZE	1"1/2 TO 48"
CLASS	PN 10 – PN 16 - ANSI 150
SPECIAL FEATURES	NACE MR 01.75 - OPERATING EXTENSION BEVEL GEAR – ELETRIC AND PNEUMATIC ACTUATOR
STANDARD MATERIALS	CAST IRON - C. S. A105 - A216 WCB S. S. A351 CF8M ALLUMINIUM BRONZE B148 CLASS C 95500
SEATS	N.B.R. – E.P.D.M. - VITON – SILICONE NEOPRENE – TEFLON - HYPALON
SPECIAL MATERIALS	AVAILABLE ON REQUEST